

Press Release: European Association of Urology

Survey reveals low levels of awareness in men about prostate health and function

Arnhem (The Netherlands), 24 September 2019. Awareness of prostate health is alarmingly low in men over 50, a new survey¹ commissioned by the European Association of Urology (EAU) has revealed, despite the fact that at the age of 60 and over, 40 percent of men suffer from an enlarged prostate.

The survey, which assessed knowledge of the prostate in 3,010 men over 50 years in the UK, Germany and France, found that just one in 4 men (26%) over the age of 50 are correctly able to identify the prostate's main function.

The study revealed a variety of misconceptions surrounding prostate health and, in particular, enlarged prostates (also known as benign prostate enlargement (BPE) or hyperplasia (BPH)) with just 38 percent of respondents able to correctly identify the disorder. A healthy prostate is about the size of a walnut and its main function is to produce prostatic fluid to carry the sperm^{2,3}. Whilst it does grow slowly as men grow older, only one in 6 (17%) respondents correctly stated that the symptoms relating to an enlarged prostate are not a "normal" sign of ageing.


Commenting on these findings, urologist Professor Hein Van Poppel, Adjunct Secretary General of the EAU, explains "The results are worrying, especially as the survey targeted men in the age group that are most likely to suffer from prostate-related conditions, such as prostate cancer and an enlarged prostate. The incidence of these conditions and their impact on medical practice is only going to become greater due to the ageing population, so we must ensure that men are well informed to enable quick consultation and treatment if required."

The cause of an enlarged prostate is unknown, but it is believed to be linked to hormonal changes as men age³. Common indicators of the condition include the sudden urge to urinate, a straining or painful sensation when urinating, feeling that the bladder is not completely empty, and getting up more than once at night to urinate. Nearly 50 percent of men (aged 50-60) don't recognise these symptoms. The symptoms are often mild, but severity can impair quality of life and research suggests that men with moderate or severe symptoms have an increased risk of serious heart conditions, such as stroke and cardiac death^{4,5}.

Enlarged prostate symptoms rarely discussed with partners or family members

When asked who they would speak to if they experienced any issues related to urinating, most respondents (61%) stated that they would visit their GP for further information. Interestingly, this question posed strong regional differences from France and the UK (67% and 66% respectively) and in Germany (50%). Just one quarter of men (24%) specified that they would 'Google' their symptoms to find out further information, demonstrating that patients in this age bracket would prefer to speak directly to healthcare professionals.

Only 13 percent of men said they would discuss symptoms with their partner or family to receive more information. Professor Van Poppel comments, "[Previous research](#) showed that women actually know more about men's health issues than men do⁶. Therefore, we encourage men to discuss their urological symptoms and conditions with partners or families, as well as visiting specialised healthcare professionals such as urologists."



There are multiple treatment options for an enlarged prostate, which include medical treatment, surgery through the urethra or lower abdomen, laser therapy, water vapour therapy, a change in diet or injections. Half of the survey respondents preferred having the option of different treatments, with 38 percent favouring that their doctor recommended one treatment option (12% had no preference). Younger respondents (aged 50-55) and those from Germany were more likely to favour shared decision-making between different treatment options from their doctor than older respondents (70+) and people from France or the UK.

Van Poppel concludes, “Every patient’s condition differs but, together with a specialised urologist, they should be able to make an informed decision on what their optimal treatment is. With so many options now available from medical management, minimally invasive therapies and surgical options; men with complaints should go and seek help since they are very likely to be helped rather easily.”

Survey results ‘at a glance’

- 26% of respondents are aware of the main function of the prostate
- Knowledge of the prostate’s main function increases with age (21% in 50-55s to 35% in 70+)
- One in 6 (17%) respondents correctly stated that the symptoms relating to an enlarge prostate are not a “normal” sign of ageing
- When or if discussing the symptoms of an enlarged prostate, the majority of respondents (61%) feel most comfortable talking to their GP
- One in four respondents would Google their symptoms and only 13% would discuss symptoms with their partner

ENDS

About the survey

The new survey, commissioned by the European Association of Urology (EAU) for its annual Urology Week (23-27 September 2019), asked over 3,000 members of the public from France, Germany, and the United Kingdom to assess knowledge of the prostate. The survey was conducted by Censuswide and supported by an educational grant of Boston Scientific.

Breakdown of 3,010 respondents per country:

- France: 1,003
- Germany: 1,005
- UK: 1,002

Dates information was sourced: May-June 2019

Notes to Editors:

For more information or to arrange an expert interview, please contact:

Jarka Bloemberg
EAU Communications
j.bloemberg@uroweb.org

About the European Association of Urology (EAU)

The European Association of Urology is a non-profit organisation which supports medical professionals working in the field of urology through many of its scientific, professional, educational and awareness-building initiatives. The overarching mission is to raise the level of urological care in Europe, and for many years this has been done through educational and scientific programmes aimed at urologists. Today the EAU represents more than 18,000 medical professionals working in Europe and beyond its borders.

The Annual Congress of the European Association of Urology is the largest and most important urology congress in Europe, with up to 14,000 participants. For more information see www.uroweb.org

About Urology Awareness Week

Urology Week is an EAU initiative which brings together national urological societies, urology practitioners, urology nurses, the patients and their families, and politicians to create awareness of urological conditions among the general public. For more information see <https://urologyweek.org>

About Boston Scientific

Boston Scientific transforms lives through innovative medical solutions that improve the health of patients around the world. As a global medical technology leader for 40 years, we advance science for life by providing a broad range of high performance solutions that address unmet patient needs and reduce the cost of healthcare. For more information, visit Bostonscientific.eu and connect on [Twitter](#) and [Facebook](#).

Rainer Puster

Media Relations
Boston Scientific EMEA
+491754347057
rainer.puster@bsci.com

References

1. EAU Urology Survey 2019 [Conducted June 2019]
2. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2440415/>
3. <https://patients.uroweb.org/benign-prostatic-enlargement/>
4. <https://uroweb.org/guideline/treatment-of-non-neurogenic-male-luts/#3>
5. [https://www.europeanurology.com/article/S0302-2838\(16\)30405-5/fulltext](https://www.europeanurology.com/article/S0302-2838(16)30405-5/fulltext)
6. [EAU Urology Survey 2018 \[Conducted July 2018\]](#)